

Table S2. Positive control and patient serum OPA titres listed by serotype. The paired acute-phase and convalescence sera from each included individual were examined with OPA on the same microtiter plate simultaneously as a positive control serum.

Infecting serotype	Patient No.	Acute-phase serum OPA titre	Convalescence serum OPA titre	Control serum OPA titre
1	36	1	1	2,916
1	20	108	972	2,916
3	37	1	1	108
3	1	1	4	108
3	38	1	1	108
3	39	1	1	108
3	51	972	1	108
3	2	1	108	108
3	19	108	324	108
3	8	1	972	108
3	17	36	972	108
3	29	972	972	108
3	30	972	972	108
4	27	324	324	8,748
4	14	1	8,748	8,748
6B	28	324	324	972
7F	53	972	4	972
7F	25	12	12	972
7F	9	1	972	972
7F	10	1	972	972
7F	16	4	972	972
7F	50	324	1	2,916
7F	54	2,916	972	324
7F	13	1	2,916	324
7F	15	1	8,748	2,916
9V	40	1	1	324
9V	3	1	108	972
9V	4	1	108	972
9V	31	972	972	972
14	52	972	1	972
14	11	1	972	972

14	32	972	972	2,916
14	18	36	2,916	972
14	23	972	2,916	972
14	24	972	2,916	2,916
14	22	324	8,748	972
14	34	8,748	8,748	26,244
14	21	108	26,244	2,916
14	35	26,244	26,244	26,244
18C	41	1	1	972
18C	26	36	36	972
18C	5	1	108	324
19A	42	1	1	2,916
19A	7	1	324	2,916
19A	33	972	972	2,916
19F	49	108	1	108
19F	48	36	4	108
19F	12	1	972	108
23F	43	1	1	972
23F	44	1	1	972
23F	47	4	1	972
23F	45	1	1	972
23F	46	1	1	972
23F	6	1	108	972